

Facilities Services Weekly

August 1, 2022

Upcoming TNAPPA Educational Opportunities

TNAPPA will be hosting bi-monthly "roundtable" events via Zoom that will feature a presentation from one of the TNAPPA campuses, open discussion around the chosen topic, and open discussion for future topic ideas. These sessions are open to anyone in Facilities Services and will take place on September 7 at 3pm EDT and November 2 at 3pm EDT. You can register for the September roundtable [here](#), and registration for the November roundtable can be found [here](#).

UT Family Fun Day

Our friends in the Office of Community Engagement and Outreach are planning a UTK Family Fun Day, and you're invited! The attached flyer at the end of this week's newsletter. This free event will feature a bouncy house, inflatable slide, free food, and free school supplies for attendees. All are welcome to attend this event!



Internal Positions Open

We currently have several open positions! If you are interested in applying, visit <https://hr.utk.edu/staff-positions/> and click the "Staff Positions for Internal Candidates" link.

E01-7220	Building Services Foreman	E01-7217	Sign Design Spec
E01-7202	Facilities Space Coordinator	E01-7218	Plumbing & Heating Specialist I
E01-7205	Steam Plant Mechanic (SR)	E01-7224	STAR Team Member
E01-7212	HVAC Spec II (SR)	<u>Multiple openings for -</u>	
E01-7212	HVAC Spec I	Building Technician	
E01-7217	Painter Asst III	Maintenance Spec II	



ADMINISTRATION

Special Projects:

- Serving on the Culture Committee
- Logistics and planning for Coffee & Conversation events
- TCO Inventory
- Pre-planning for upcoming events
- FEMA Training

BUILDING SERVICES

- Art + Architecture - Rooms 113 and 109 had the carpets shampooed
- Art + Architecture - Ran the top scrubber in Rooms 425, 432, and 433
- Music - Waxed cork floors and detailed rooms 105, 329, 331, 332, 334, and 336
- Music - Detailed all entrances and rooms G09, G08 and G25
- This week we microbial sprayed all of Haslam Business, all of SMC, and all of Hodges library.
- The 4th floor furniture was deep cleaned and all of the carpet shampooed at Greve Hall.
- Chemistry labs on the third floor at Strong Hall were deep cleaned.
- Several offices were deeply cleaned at Strong for new staff.
-

Facilities Services

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

BUILDING SERVICES CONTINUED:

- The reception area in suite 265 at Law was thoroughly cleaned for new staff.
- All stairwells at Mossman were blown out and mopped.
- Classrooms at Jesse Harris were prepared for the Boy Scouts.
- Stairs were blown out and mopped in Fiber and Composites.
- Howard Baker has held events all week.
- The reception area in suite 265 at Law was thoroughly cleaned for new staff.
- All stairwells at Mossman were blown out and mopped.
- Classrooms at Jesse Harris were prepared for the Boy Scouts.
- Stairs were blown out and mopped in Fiber and Composites.
- Howard Baker has held events all week.
- Ayres Hall - all floors auto scrubbed
- Dabney - all floors auto scrubbed
- Dabney - stairs swept
- Dabney - all offices detailed
- Nursing education rooms scrubbed and waxed 406,408,402,412,217,215,214,212,208,200,315
- 315B,315C,316A,316B,316C,316D,309,310,306A,307,301,301A,301B,301C,301,201,210
- Hesler - all halls were auto scrubbed
- Austin Peay - 1st floor hall was buffed
- Austin Peay - carpet cleaned in room 310F
- Student Union Phase 1 and 2 - We tended to the Boy Scouts Conference all last week and done the daily upkeep in our buildings. Project work was on hold due to the large amount of traffic throughout our buildings. High fives and pats on the backs to everyone who helped with this conference!
- repair systems as needed. (cont.)
- Smokey 11 Statue: Demolition of existing sidewalk on Ag Campus and prep site for construction of new plaza (cont.)
- Concord Street Site: Removal, testing, and disposal of underground fuel tank
- Campus wide tree pruning to address spring flush of growth (cont.)
- Claxton Chiller bldg.: Provide excavation for steam leak (cont.)
- CDL training for job-specific staff members during the month of June (cont.)
- Assist UT Gardens with mowing until they can fill vacant positions (cont.)
- Burchfiel Geography: Repair irrigation and landscape following fire supply water main break repair (cont.)
- Robinson Hall First Impression Sidewalk: Irrigation and landscape repairs (cont.)
- Campus-Wide Mowing: Making adjustments to route schedules to meet campus demands (cont.)
- Ayres Hill ADA staircases: Coordinate with FS Design on landscape plan for new staircases (cont.)
- Pedestrian Mall Expansion Phase II: Participate in weekly progress meetings (cont.)
- Campus wide: Maintenance pruning to younger trees (on-going)
- Recruiting to fill vacant positions

Sanitation Safety:

- Completed pest control requests

OPERATIONS & LANDSCAPE

Landscape Services:

- NOAC Conference Support at Circle Park and other locations as needed
- Begin Mid-year performance evaluations
- Sorority Village: Prep and mulch landscape beds for recruitment (cont.)
- Fraternity Park Volleyball Court: Begin renovation (cont.)
- Irrigation Systems: Test, monitor, adjust and

ZONE MAINTENANCE

Zone 1:

- Scouts have moved out now we start the building flips again for the next 2 wks to make sure resident halls are ready for move in on the 13th.

Zone 2:

- McClung Tower - Filled and vacuumed the bull fountain, repair 5 fan coil units on various floors for cooling, and cleared drain on fan coil unit in room 1008

ZONE MAINTENANCE CONTINUED ON PAGE 3

Facilities Services Weekly

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

ZONE MAINTENANCE CONTINUED:

- A & A - Addressed cooling in rooms 109 and 111 and stopped water leak in room 113
- Ceramics - Installed and wired exhaust fan motor on roof
- Hearing and Speech - Installed 4 sanitary boxes in restrooms
- McClung Museum - Addressing exhaust fans on roof
- Clarence Brown - Met with engineer for floor cracks, relocated steaming station bar in costume room, and repaired sink leaking in room W11

Zone 3:

- Zone 3 is repairing lighting in classrooms at Haslam Business Building

Zone 4:

- Repaired a wok and replaced casters at the Student Union Phase I
- Replaced a dish machine at Student Union Phase II
- Repaired a roll up door and oven at Rocky Top Dining
- Repaired a meat slicer at Thompson Boling
- Repaired a coffee maker at Stokely
- Eliminated a grease trap problem at Vol Hall

Zone 5:

- At Neyland Stadium, checked and made repairs as needed and replaced hose bibs on the 4th and 5th floors
- At the Football Complex, checked and adjusted chemicals in the pools
- At Allan Jones, checked and adjusted chemicals in pools and made repairs following swim meet
- At East Stadium, replaced window AC units as needed on the 4th and 5th floors
- At Lindsey Nelson Stadium, checked and made repairs after camps
- At Regal Soccer, worked on a water fountain
- Throughout the zone, conducted general building maintenance

Zone 6:

- Generally maintaining environmental equipment.
- Generally addressing work order issues.
- Dabney repair gutter.
- Unlock doors.
- Cleaning cooling towers
- Air filter changing zone wide.

- Dabney control valve replacement.
- General led lighting project

Zone 7:

- AMB : General Maintenance, Finishing up on this month's PM's, Adjusted 3 more Door closers, Helped though out Zone, Working events for NOAC (Boy Scouts of America).
- SERF : Routine building checks, replaced scorched wall outlet, repaired non-functioning lights, assisted building occupants with questions on electrical circuits in their labs, assisted construction services as needed, assisted A/C shop as needed, assisted contractors as needed, assisted other buildings in zone as needed.
- Nuclear : Routine building checks, replaced burnt out light, replaced belt on air handler, installed filters in new A/C unit, assisted A/C shop as needed, assisted contractors as needed, assisted other buildings in zone as needed.
- Tickle : Worked on PM's, Daily walkthrough of building, Changed burnt out bulbs, Checked light sensors in classrooms.
- Zeanah : Worked on PM's, Daily walkthrough of building, Changed filters in all AHU's, Reported/ Assisted contractors when needed.
- Dougherty : General maintenance, replaced ceiling tiles, replaced belts, replaced bulbs, air handler monthlies, assisted zone, fixed A/C blowing warm, adjusted door handles.
- Jessie Harris : Weekly building check, Daily equipment check, Checked & cleaned elevator tracks, Checked for mold, Hung marker board.
- Fiber & Composites : Weekly building check, Daily equipment, Checked & cleaned elevator tracks, Checked for mold, Worked on lab door.
- SENTER Hall : Weekly building check, Daily equipment check, Checked for mold.
- Min Kao : Working on lights, working on restrooms, changed motor supply fan, doing building checks.

Zone 8:

- We are continuing to work through issues with our building equipment after the power outage on Friday.
- We are installing gutter guards on the Animal Science Laboratory.

ZONE MAINTENANCE CONTINUED ON PAGE 4

Facilities Services Weekly

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

ZONE MAINTENANCE CONTINUED:

- Our monthly Archibus work request will be an area of focus this week.
- The One-Call team is still hanging in there after a super busy week with NOAC.

Zone 9:

- We are having Tremco to evaluate our building foundations at the Glazer Building in Oak Ridge after some recent flooding.
- Our weekly Archibus work request will be our area of focus this week.
- We are having issues with a chill water pump at the Middlebrook Building.

ZM Specialties:

- Diagnosing issues with 3rd floor air handlers at Rocky Top Dining
- Checking failed fume hoods at Dabney-Buehler
- Checking condensate issues at Mossman
- Repaired door operators at Clement, Magnolia and Student Aquatic Center
- Replaced door operator at Magnolia
- Refueled light towers
- Replaced window glass at Perkins Hall
- Corrected air handler equipment data at Thornton Athletic Center, Joan Cronan Volleyball Facility and Nielsen Physics
- Working with Digital assets and IT team on mission critical assets

Lock & Key Services:

- Physics – install locks and key
- Ayres Hall – rekey doors
- Pi Kappa Phi – repair or replace lock
- Phi Gamma Delta – install combination locks
- Jessie Harris – install locks and key
- Front office – processing key requests, key pickup and drop off
- On Campus – assisting as needed
- University Housing – many recores and repairs, assisting as needed

UT Office of Sustainability/Recycling:

Recycling Totals for June 13 - 20

- Bottles/Cans: 2,100 lbs.
- Paper: 700 lbs.
- Cardboard: 5,820 lbs.
- Agriculture Waste: 17,050 lbs.
- Food: 2,000 lbs.
- Landscaping Waste: 8,400 lbs.
- Grease Water: 0 lbs.
- Total: 36,070 lbs. /12.02 tons
- Pallets: 0

Recycling Totals for Fiscal Year 22:

- Bottles/Cans: 277,760 lbs. / 138.88 tons
- Paper: 413,200 lbs. / 206.6 tons
- Cardboard: 398,210 lbs. / 199.11 tons
- Agriculture Waste: 916,663 lbs. / 458.33 tons
- Food Waste: 622,360 lbs. / 311.18 tons
- Landscaping Waste: 742,609 lbs. / 371.3 tons
- Total: 2,628,193 lbs. / 1,314.10 tons

- While many on the Sustainability team took vacation time to rest and recover, they were still able to serve 33 people through the Free Store!

COMMUNICATIONS & INFO SERVICES

Communications & Public Relations:

- Send any photos of your work team that you'd like to see featured on FS social media directly to Sam at sjones80@utk.edu or 865-771-1531
- The electronic employee comment box can be found at tiny.utk.edu/fscommentbox.

Employee Training & Development:

Training News:

- **2022 OSHA Training UPDATE** - There have been department-wide changes made to the required OSHA training for calendar year 2022. If you have already completed your OSHA training for this calendar year, please log into K@TE to verify that nothing has been added to your transcript. Almost every unit has seen changes to their training requirements and therefore almost every person still has training to complete. Please contact Rebecca at ralcorn@utk.edu should you have questions pertaining to your OSHA training.

COMM & INFO CONTINUED ON PAGE 5

Facilities Services Weekly

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

COMM & INFO CONTINUED:

- APPA has resumed in-person training! If you're interested, check out the link to learn more.
<https://www.appa.org/continuous-learning/aoc/>
- Are you a non-exempt staff member that has found training that you're interested in but need a little extra money to attend the event? Don't forget to use the Career Development Fund. You can qualify for \$150 each fiscal year for career development training. That's money that you're not paying out of your pocket and your department isn't paying out of their budget! More information at this link: <https://hr.tennessee.edu/eod/career-development-fund/>
- **The 2022 Training Calendar is available online!** Visit <https://fs.utk.edu/comminfo/training/> to view upcoming training dates, times and information throughout the year. The calendar is located below the "Login for online training" link. Check back often as new events and opportunities are added often!

Information Technology:

- New Computer installations
- Office Moves for Utilities
- Conference Room Upgrade Coordination
- Helping users with Phishing Emails (they are doing a great job)

UTILITIES SERVICES

A/C Services:

- Assisted plumbing shop with steam issues at Rocky Top Dining.
- Replaced faulty PE switch that served AHU #17 at TBA.
- Assisted Maintenance with restarting make-up air unit at Dougherty.
- Replaced 2 faulty hydraulic actuators in room 209 at Perkins.
- Delivered replacement VFD for AHU 11 at Strong Hall.
- Installed new thermostat in room 65A of Communications.
- Replaced blown fuses and wired up new damper actuators on Strobic units at JIAMS.
- Reset AHU#4-2 at Mossman.
- Assisted contractors with tracing down communication issue at Zeanah.
- Restarted and performed a rotation check on AHU 7

- after a new motor was installed at Conference Center.
- Replaced faulty phoenix card and reprogrammed card to serve Lab 116 of Senter Hall.
- Replaced bad actuator on chilled water valve of AHU 1 at Music.
- Found faulty current tracer on AHU 5 of Brehm Animal.
- Began trouble shooting cooling issues in room 323 at Hodges Library.
- Programmed and installed new network controller at Hoskins Library.
- Replaced discharge air sensor on AHU 2 at Claxton.
- Repaired freezer on the 4th floor of the UT Conference Center.
- Repaired controls and restored cooling to all rooms at Thornton.
- Restored service to 8th floor in Stokely Hall.
- Changed condenser at McCord.
- Repaired RTU at Allan Jones.
- Repaired wiring in room 253 at Fred Brown.
- Changed fuses in freezer room 487 at Dabney Hall.
- Changed contactor in elevator room at Fred Brown.
- Placed chiller and pump system on the trailer for the temporary chiller system.
- Changed controller at Massey Hall.
- Restored service to room 164 at Brehm Animal.
- Repaired leak in room 400 at Nursing.
- Turned off and drained chiller at North Neyland Stadium.

Electrical Services:

- Repaired devices and cleared alarms at Kappa Delta, Clement Hall, 1812 Fraternity, 1848 Fraternity, JARTU, Vet School, Strong Hall, Jewel Bldg., Student Union, Greve Hall, 2010 Lake Ave, and Brehm Animal Science.
- Assist Simplex and BST with yearly fire alarm inspections at Student Health, Haslam, and Vet School.
- Disabled/Enabled smokes for AC Shop at Phi Mu.
- Disabled/Enabled devices for contractors at SERF, Alpha Chi Omega, Tri Delta and Rocky Top Dining.
- Assisted MASCO with daily pump tests across campus.
- Assisted MASCO with five-year inspections at Stokely Hall.
- Assisted MASCO with moving sprinkler heads at Baseball.
- Checked on gate and intercom system at the Steam Plant.

UTILITIES CONTINUED ON PAGE 6

Facilities Services

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

UTILITIES CONTINUED:

- Replace controller at Min Kao.
- Replace power supply on the 1st floor entrance at Plant Biotech.
- Inspect and change door strikes not working in Ayres Hall.
- Check door locks at Perkins Hall.
- Assist AC shop with scheduled power outage at West Neyland Stadium.
- Replace defective circuit breaker at Lindsey Nelson Stadium.
- Replaced burnt wiring at disconnect for kitchen equipment at West Skybox addition at Neyland Stadium.
- Removed temporary power to fire alarm panel and returned to normal X-power at South Carrick Hall.
- Troubleshooting and repair of contactors at Student Union.
- Meetings with insurance representative at South Carrick Hall.
- Troubleshooting and repair of RB outlet near Parking Services.
- Determine and re-fed power for air handler at UT Conference Center.
- Troubleshooting and repair of receptacles at Student Union room 383D.
- Scheduled outage to replace 225-amp circuit breaker at Neyland Stadium.
- Replaced defective lamps in room 210 at Nursing.
- Troubleshooting and repair of restroom lighting at Student Health.
- Troubleshooting and repair of Lutron lighting in room 634 at Min Kao.
- Repaired fume hood power at Burchfiel Geography.
- Troubleshooting and repair at concession stand at Neyland Stadium.
- Inspecting Vista installation at SERF.
- Assisted KUB with Lake Ave outage and following up in all buildings affected.
- Calculating load for the temporary chiller at Music.
- Assisting AC with breaker for unit at Lindsey Nelson Baseball.
- Coordinating overhead line work with KUB for tree removal at 2124 Terrace Ave.
- Meeting to coordinate outage for north lower bowl chiller installation at Neyland.
- Straightened up globes on campus standard sidewalk lights at Fraternity Park.
- Assisted steam crew with transporting AC trailer to steam vault at Philip Fulmer.
- Planning and executing an emergency outage to replace a breaker at the West Skybox in Neyland Stadium.
- Took ENSAFE and EHS on tour of the transformers and generators around campus.
- Working on panels and piping for Mobile Kitchen at the Old Neyland Annex Site.
- Took tower lights to the Andy Holt Tower parking lot.
- Straightened pole light on Johnny Majors Drive.
- Changed out sidewalk pole lights to LED at Highland in front of FD.
- Responded to broken pipe under handicap ramp at Burchfiel.
- Assisted in protecting transformers and switches in the steel from the cleanup from sandblasting in the lower bowl area of Neyland Stadium.
- Met Stowers for delivery of temp. generator, cables and cords for the outdoor practice fields.
- Working on repairing and replacing pole lights at Communications and Andy Holt Tower.
- Changing bollard lights at Cherokee Farm Amphitheater.
- Responded to blown LA on a KUB wooden pole near Cumberland that caused a power outage.
- Reset breaker at Howard Baker.
- Worked on devices on fire panel at SERF.
- Performed maintenance on substations.
- Checking and pumping HV manholes.
- Marking and logging in daily Tennessee 1-800's
- Monthly meter readings.
- Checking campus lighting.

Plumbing Shop:

- Pump steam vaults on campus
- Daily 1-800's.
- Installing storm drain piping at Chamique Holdsclaw.
- Cleared AC drain condensate line.
- Replaced 6-gallon water heater in 401 H at Min Kao.
- Replaced all drains in the ceilings at Delta Tau Delta.

UTILITIES CONTINUED ON PAGE 7

Facilities Services Weekly

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

UTILITIES SERVICES CONTINUED:

- Repaired a water leak in the ceiling at Brenda Lawson.
- Repaired a hot water pipe leak and disconnected toilets and sinks at Regal Soccer Stadium.
- Installed new water line for coffee machines at the South and East Stadium.
- Installed connections for new washing machines at Anderson Training.
- Disconnected gas lines at the Ceramics Building.
- Repaired a water leak in the ceiling of room 340 at Dabney Buehler Hall.
- Repaired a leak in the heating water line at HPER.
- Repaired steam regulator at Rocky Top Dining.
- Rebuild condensate pump at Dabney Buehler.
- Pumped steam pit at Baker Building.
- Repaired steam leak at vault below Alumni.
- Repaired steam leak at Thompson Arena.
- Replaced steam regulator at Anderson Training.
- Blount Hall: Paint and carpet 104 and 105
- Burchfiel Geography: Paint, cabinet reface and floor polishing 318; Furniture for 318 and 304C; Divide 402 and 403 into smaller rooms
- Campus: Replace elastomeric couplings on fire pumps with metal grid couplings; Refurbish outdoor basketball courts behind Fraternities; Armed Forces Memorial; Classroom Renovations for Summer 2022; Bike racks in Vol Parking Garage; Repair fallout under sidewalk at Cherokee Farms; Volunteer First Impressions winners 2022
- Claxton Building: Rework Dean's suite 344L; Painting, etc. 203A; Paint 225; New rooms 407; Paint 442 and 447
- Communications: Renovate 302B; Paint 66B, C, D, 107M, 473, 462; track lighting 089; Paint and other work 91; Make 028F an office
- Conference Center Building: Paint 211 and 311E; Move State Comptroller 307; New sign 432; Paint suite 412
- CRC Materials Science: Flooring 207

Steam Plant

- Continued to replace valves on dealkalizers.
- Put oil back in turbine after shut down.
- Cleaned up oil spill.
- Replaced union on #5 boiler.
- General plant clean up.
- Replaced eye-hye sensors on #3 boiler.

CONSTRUCTION SERVICES

- Alpha Tau Omega: Interior fence for storage area
- Anderson Training Center: Hand sink in Smokey's
- Aramark Food Areas: Install FRP in multiple locations; Cumberland Food Court-painting and FRP
- Art and Architecture: Replace lights and controls 215A; Office furniture 210 and 213; Electric, patch, paint 341
- Austin Peay: Paint 312B and 416F
- Ayers Hall: Access control for 227L
- Bailey Education: Electric A232; Remove shelving on 2nd floor
- Baker Center: Paint 213
- Bass Building/Body Farm: Clearing and new fences for Body Farm expansion
- Black Cultural Center: Stain the reception desk
- Dabney Buehler: New HVAC units 550, 552, 553; Replace fume hoods in 408, 507, 508, 607, 608; Paint 481; Install dishwasher 302
- Dougherty Engineering: Carpet 407, 407A, 407C; Renovate 101 for welding and robotics lab
- Early Learning Center: Fence for playground expansion on White Ave.; Additional sidewalk
- Equine Animal Building: Replace damaged awning
- Equity and Diversity: Storm door and awning
- Facilities Services Complex: Security film on conference room glass; Bird repellent
- Ferris Hall: Paint 414; Patch and paint on 2 and 5
- Food Science Building: Renovate 215 for Creamery kitchen; Install ice machine 102
- G16 Parking Garage: Car counting system
- Glazer Building: Renovation for classroom
- Greve Hall: Renovate G005 for Smokey's Pantry; Year around steam to HVAC units on 1st floor
- Hesler Biology: Paint and carpet 541
- HPER: Paint 321B, 336 and 330
- Haslam Business Building: Paint the building interior; Window glass in doors 318, 321, 322; Combine 319 and 320 for offices; Renovate 308 for Marketing & Comm. staff; Window film 258; Paint 513; Paint 43; Paint and carpet 706
- Hesler Biology: Expand cage on loading dock

CONSTRUCTION CONTINUED ON PAGE 8

Facilities Services Weekly

August 1, 2022

ADMINISTRATION • BUILDING SERVICES • OPERATIONS • ENERGY MANAGEMENT • DESIGN • UTILITIES
ZONE MAINTENANCE • ADMIN. & SUPPORT • COMMUNICATION & INFORMATION • CONSTRUCTION

CONSTRUCTION SERVICES CONTINUED:

- Hodges Library: Renovate 252; New lighting and painting 199A; Paint, carpet, millwork 605; Seal serving line floor in Starbucks; Paint 552
- Jessie Harris: Build offices in 102; Paint 239 and 414; Paint 236
- JIAM: Electric work G026; Install utilities to ventilated cylinder cabinet; Cylinder straps, electric and chilled water 158B; Project for 5G Research G004: Lab utilities 258A; Receptacle and cord for equipment G034
- Kingston Pike Building: Renovate 135 into on-line studio; Renovate south end of 135-cubicles, paint, flooring; Paint 121
- Lindsey Nelson Stadium: Electric and fire suppression 208
- McClung Museum: Panic buttons in lobby
- McClung Tower: Vinyl flooring 5; Paint and carpet 609 and 613; LVT flooring and paint 716
- McCord Hall: Lab renovation 054;
- Melrose: Sign E section; Paint G202; New furniture G301 and G302; Paint G102; Paint glazed brick in G stairways
- Middlebrook Building: Carpet in suite 221; Add a door with access controls to 2nd floor office suite; Carpet 201-210
- Min Kao: Sediment trap on chilled water 117; Make 401K an office; Electric work 234; Paint 215
- Morgan Hall: Paint 126C and 102A; Power and data for monitor 302F1; Paint 105 and 105A; Replace projector/Smartbd. With monitor
- Mossman Building: Tie cooler in vivarium into building alarm system
- Nielsen Physics: Remodel room 217 into a lab
- NEB: Turn cabinets into mailboxes 104
- Pi Kappa Alpha: Renovate bathrooms
- Plant Biotech: Paint 232; Install new lighting in 156 and 157
- SERF: Utility work and drains for polisher in 309; Receptacles 109A; Move lab casework 603 and 604
- Sigma Kappa: Remove a section of wall to open room; Paint and flooring; Install chandeliers; Electric circuit for exhaust fan; Kick plate for the back door
- SMC: Door film on 2nd floor; Sound dampening system for 2nd floor; Move faculty from 3 to 6
- South Carrick Hall: refinish tub 103
- South Greenhouse: Repair cooling units
- Steam Plant: Gates and bollards
- Stokely Hall: Repair shower pan
- Strong Hall: New tables 514
- Student Health: Repair flooring seams on 1st floor
- Student Services: Paint 401F; Renovate Suite 413
- Student Union: Painting in Suite 383; Repair stockroom doors and install hold open devices G201A
- Taylor Law: Replace sound panels 132, 135, 136, 241, 242
- Third Creek Building: Add for emergency messaging to fire alarm system
- Tickle Engineering: Alterations to 503 for offices and meeting space
- UT Drive Services Building A: Paint bookcases 208B; Paint 1st floor rooms and corridor; Add a sidewalk; Paint 10 office doors on the 2nd floor; New blinds on 2nd floor
- UT Drive Services Building B: Renovation 101 for sculpture studio; Exhaust, electric and cylinder rack for wind tunnel
- Vet Med Center: Utility connections for sanitizer
- Volunteer Hall: Painting on 7 and 8
- Vol Shop Cumberland: Lighting and slat wall repair in the Vol Shop
- Zeanah Engineering: Install plaques; Add for emergency messaging to fire alarm system; Additional electric work in wood and metal shops; Make lab space 517
- Zeta Tau Alpha: Paint bathroom; Poles for outdoor lights; Replace some indoor lights; Remove wall in tv area and parlor; Remove hump in shower floor; Pulley system for porch/banners; Misc. painting
- 1610 University Ave.: Repair crack in building brick veneer Shop
- Zeanah Engineering: Install plaques; Add for emergency messaging to fire alarm system; Additional electric work in wood and metal shops; Make lab space 517
- Zeta Tau Alpha: Paint bathroom; Poles for outdoor lights; Replace some indoor lights; Remove wall in tv area and parlor; Remove hump in shower floor; Pulley system for porch/banners; Misc. painting
- 1610 University Ave.: Repair crack in building brick veneer

Comment Box Locations:

- Facilities Services Complex Break Room & Shop Area
- Steam Plant & Landscape Trailer
- Hodges Library 1st Floor Service Hallway
- SERF Outside of Room 426
- The electronic employee comment box can be found at tiny.utk.edu/fscommentbox.

Help us


Rename

The Facilitator

"The Facilitator" is a name that has served us well for six years, but as UTFS and the university move forward, we think it's time to try on a new name. That's where you come in!

Submit your ideas to rename "The Facilitator" to Sam Ledford at sjones80@utk.edu

Winner will receive recognition for their contribution, a swag bag, and a \$50 VolCard gift card



UTK FAMILY FUN DAY

The University of Tennessee, Knoxville appreciates staff, faculty and families. UTK Family Fun Day will have a free bouncy house, slide, food, and school supplies for attendees.



WHEN

AUGUST 6 | 12:30 PM-2:30 PM

WHERE

**CHANGE CENTER
203 HARRIET TUBMAN STREET
KNOXVILLE, TN 37915**